
WATERPROOF MICROCEMENT

Microröck / Micropool



CEMHER®



Cemher® is the place where the creation of unique rooms begins. Homes with their own personality.

SPACES WITH SOUL





A SUPERIOR QUALITY

Microröck and Micropool are microcements with unequalled performance, whose hardness is superior to that of polished cement. In addition, its resistance to compression and traction is incomparable.



Hardness & Waterproofing

Microröck vs Traditional Microcement

LESS APPLICATION STEPS

1. MICRORÖCK BASE

2 coats must be applied

2. MICRORÖCK/MICRONE FINE

2 coats must be applied

3. SEALER


Must be applied in at least 2 coats

Its high adhesion allows direct application, saving the steps of substrate preparation (mesh, vapor barrier and adhesion promoter). It also avoids the step prior to sealing (pore filling), which means the application of the entire system in less time than traditional microcement.



Micropool vs Traditional Microcement

WATER-IMMERSED SURFACES



3. SEALER

Must be applied in at least 2 coats

2. MICROPOOL FINE

2 coats must be applied


1. MICROPOOL BASE


2 coats must be applied

It is specially designed for applications on surfaces immersed in water such as swimming pools. Its specific formula creates some water vapor permeability to avoid blistering due to lack of permeability.



Thanks to its impermeability, it acts as a vapor barrier and is suitable for all types of surfaces. It can be used in damp areas, first floors as well as bathrooms without fear of any damp problems or defects caused by water.









kilnher group®

İTHALATÇI FİRMA



Mupo Yapı Pazarlama Ankastre İnşaat İthalat ve İhracat Ltd. Şti.

Merkez : İzzet Paşa Yeniyol Caddesi No:3 Kat:32 No:3 Nurol Tower Şişli / İSTANBUL

Showroom : Ege Mahallesi Alparslan Türkeş Sokak Özsürücü Suit A Blok No:2-AC Kuşadası / AYDIN

info@mupo.com.tr

www.mupo.com.tr

0 256 614 7 444

C/ Llanterners 44 P. Ind. La Figuera 46970 Alaquas - Valencia (Spain)